

A COMPLETE RANGE OF  
**TOOLING  
OPTIONS**

available at  
LAVINA Distributors

**LAVINA**

by  **SUPERABRASIVE**

**THE RIGHT TOOLS  
FOR YOUR JOB.**

PREP

PCD, Bush Hammers, Carbide Scrapers



GRINDING

QC Metals with Segments or  
SA Superthick Metals



HONING

Corsa Hybrids, HD Coppers



POLISHING

V-Harr, Waffel, Nato



BURNISHING

ShinePro Pads



[SUPERABRASIVE.COM](http://SUPERABRASIVE.COM)



CHECK CONCRETE HARDNESS  
TO SELECT THE RIGHT BOND  
AND PREVENT GLAZING OR  
PREMATURE TOOL WEAR.



MOHS' HARDNESS TEST KIT

30 GRIT - MEDIUM TO LARGE  
AGGREGATE  
50-70 GRIT - SMALL TO MEDIUM  
AGGREGATE  
120 GRIT - SALT & PEPPER

RECOMMENDED RPM:  
550-650 FOR ELECTRIC GRINDERS  
1800-2100 FOR PROPANE GRINDERS

Mohs' Scale Yellow Bond for Soft Concrete

2-3



Gray Bond for Medium Concrete

3-5



Red Bond for Hard Concrete

5-7



Gold Bond for Extra Hard Concrete

7-8



White Bond for Super Hard Concrete

8-9



- USE SINGLE SEGMENT FOR LIGHTER MACHINES (UNDER 25")
- USE DOUBLE SEGMENT FOR HEAVIER MACHINES (25" & UP).